


Rohre DIN / EN / ASTM nahtlos



kaltgefertigt, wärmebehandelt, gebeizt
gem. DIN EN 10216-5, gem.
gem. Toleranzen n. EN ISO 1127 / EN 10305-1
gem. ASTM A213, ASTM A312, ANSI B36.19


Wst. 1.4571 / TP 316Ti
Wst. 1.4404 / TP 316/316L
Wst. 1.4541 / TP 321, Wst. 1.4301 / 1.4307 / TP 304



Abnahmeprüfzeugnis gem. EN 10204-3.1

| D mm | S mm | ID mm | ASTM Dimension | GEWICHT Kg/m | D mm | S mm | ID mm | ASTM Dimension | GEWICHT Kg/m |
|---------|---------|----------|-------------------|-----------------|---------|---------|----------|-------------------|-----------------|
| 6,00 | 1,00 | 4,00 | | 0,125 | 21,30 | 3,20 | 14,90 | | 1,450 |
| 6,00 | 1,50 | 3,00 | | 0,169 | 21,34 | 2,65 | 16,04 | 1/2" GAS / BSP | 1,217 |
| 6,00 | 2,00 | 2,00 | | 0,200 | 21,34 | 2,11 | 17,12 | 1/2" SCH 10S | 1,016 |
| 6,35 | 0,89 | 4,57 | 1/4" x 0,035" | 0,122 | 21,34 | 2,77 | 15,80 | 1/2" SCH 40S STD | 1,288 |
| 6,35 | 1,24 | 3,87 | 1/4" x 0,09" | 0,159 | 21,34 | 3,73 | 13,88 | 1/2" SCH 80S XS | 1,640 |
| 6,35 | 1,65 | 3,05 | 1/4" x 0,05" | 0,194 | 21,34 | 4,78 | 11,78 | 1/2" SCH 160 | 1,982 |
| 8,00 | 1,00 | 6,00 | | 0,175 | 21,34 | 7,47 | 6,40 | 1/2" SCH XXS | 2,590 |
| 8,00 | 1,50 | 5,00 | | 0,244 | 21,34 | 2,77 | 15,80 | 1/2" SCH 40S STD | 1,288 |
| 8,00 | 2,00 | 4,00 | | 0,300 | 21,34 | 3,73 | 13,88 | 1/2" SCH 80S XS | 1,640 |
| 9,53 | 0,89 | 7,75 | 3/8" x 0,035" | 0,193 | 21,34 | 4,78 | 11,78 | 1/2" SCH 160 | 1,982 |
| 9,53 | 1,24 | 7,05 | 3/8" x 0,049" | 0,257 | 21,34 | 7,47 | 6,40 | 1/2" SCH XXS | 2,590 |
| 9,53 | 1,65 | 6,23 | 3/8" x 0,065" | 0,326 | 22,00 | 1,50 | 19,00 | | 0,770 |
| 10,00 | 1,00 | 8,00 | | 0,225 | 22,00 | 2,00 | 18,00 | | 1,002 |
| 10,00 | 1,50 | 7,00 | | 0,319 | 25,00 | 2,00 | 21,00 | | 1,152 |
| 10,00 | 2,00 | 6,00 | | 0,401 | 25,00 | 3,00 | 19,00 | | 1,653 |
| 10,20 | 2,00 | 6,20 | 1/8" GAS / BSP | 0,411 | 25,00 | 5,00 | 15,00 | | 2,504 |
| 12,00 | 1,00 | 10,00 | | 0,275 | 25,40 | 1,65 | 22,10 | 1" x 0,065" | 0,981 |
| 12,00 | 1,50 | 9,00 | | 0,394 | 25,40 | 2,11 | 21,18 | 1" x 0,083" | 1,231 |
| 12,00 | 2,00 | 8,00 | | 0,501 | 26,67 | 2,11 | 22,45 | 3/4" SCH 10S | 1,298 |
| 12,00 | 2,50 | 7,00 | | 0,595 | 26,67 | 2,87 | 20,93 | 3/4" SCH 40S STD | 1,710 |
| 12,00 | 3,00 | 6,00 | | 0,676 | 26,67 | 3,91 | 18,85 | 3/4" SCH 80S XS | 2,250 |
| 12,70 | 0,89 | 10,92 | 1/2" x 0,035" | 0,263 | 26,67 | 5,56 | 15,55 | 3/4" SCH 160 | 2,939 |
| 12,70 | 1,24 | 10,22 | 1/2" x 0,049" | 0,356 | 26,67 | 7,82 | 11,03 | 3/4" SCH XXS | 3,740 |
| 12,70 | 1,65 | 9,40 | 1/2" x 0,065" | 0,457 | 26,90 | 2,00 | 22,90 | | 1,250 |
| 12,70 | 2,11 | 8,48 | 1/2" x 0,083" | 0,560 | 26,90 | 2,65 | 21,60 | 3/4" GAS / BSP | 1,582 |
| 13,50 | 2,30 | 8,90 | 1/4" GAS / BSP | 0,645 | 26,90 | 2,00 | 22,90 | | 1,247 |
| 13,72 | 2,24 | 9,24 | 1/4" SCH 40S | 0,640 | 26,90 | 2,60 | 21,70 | | 1,582 |
| 13,72 | 3,02 | 7,68 | 1/4" SCH 80S | 0,809 | 26,90 | 2,90 | 21,10 | | 1,743 |
| 14,00 | 1,00 | 12,00 | | 0,326 | 26,90 | 3,20 | 20,50 | | 1,899 |
| 14,00 | 1,50 | 11,00 | | 0,470 | 28,00 | 2,00 | 24,00 | | 1,302 |
| 14,00 | 2,00 | 10,00 | | 0,601 | 28,00 | 3,00 | 22,00 | | 1,878 |
| 15,00 | 1,00 | 13,00 | | 0,351 | 28,00 | 4,00 | 20,00 | | 2,404 |
| 15,00 | 1,50 | 12,00 | | 0,507 | 28,00 | 5,00 | 18,00 | | 2,880 |
| 15,00 | 2,00 | 11,00 | | 0,651 | 30,00 | 2,00 | 26,00 | | 1,402 |
| 16,00 | 1,00 | 14,00 | | 0,376 | 30,00 | 2,50 | 25,00 | | 1,722 |
| 16,00 | 1,50 | 13,00 | | 0,545 | 30,00 | 3,00 | 24,00 | | 2,028 |
| 16,00 | 2,00 | 12,00 | | 0,701 | 30,00 | 4,00 | 22,00 | | 2,604 |
| 17,20 | 2,35 | 12,50 | 3/8" GAS / BSP | 0,874 | 30,00 | 5,00 | 20,00 | | 3,130 |
| 17,20 | 3,20 | 10,80 | | 1,122 | 33,40 | 6,35 | 20,70 | 1" SCH 160 | 4,350 |
| 18,00 | 1,00 | 16,00 | | 0,426 | 33,40 | 9,09 | 15,22 | 1" SCH XXS | 5,533 |
| 18,00 | 1,50 | 15,00 | | 0,620 | 33,40 | 2,77 | 27,86 | 1" SCH 10S | 2,125 |
| 18,00 | 2,00 | 14,00 | | 0,801 | 33,40 | 3,38 | 26,64 | 1" SCH 40S STD | 2,541 |
| 19,05 | 1,65 | 15,75 | 3/4" x 0,065" | 0,719 | 33,40 | 4,55 | 24,30 | 1" SCH 80S | 3,287 |
| 19,05 | 2,11 | 14,83 | 3/4" x 0,083" | 0,895 | 33,70 | 2,65 | 28,40 | | 2,060 |
| 20,00 | 1,50 | 17,00 | | 0,695 | 33,70 | 3,25 | 27,20 | 1" GAS / BSP | 2,480 |
| 20,00 | 2,00 | 16,00 | | 0,901 | 33,70 | 2,00 | 29,70 | | 1,588 |
| 20,00 | 2,50 | 15,00 | | 1,096 | 33,70 | 2,60 | 28,50 | | 2,025 |
| 20,00 | 3,00 | 14,00 | | 1,277 | 33,70 | 2,90 | 27,90 | | 2,237 |
| 21,30 | 2,00 | 17,30 | | 0,967 | 33,70 | 3,20 | 27,30 | | 2,444 |
| 21,30 | 2,60 | 16,10 | | 1,217 | 33,70 | 3,60 | 26,50 | | 2,713 |
| 21,30 | 2,90 | 15,50 | | 1,336 | 33,70 | 4,05 | 25,60 | | 3,007 |

Rohre DIN / EN / ASTM nahtlos



kaltgefertigt, wärmebehandelt, gebeizt
gem. DIN EN 10216-5, gem.
gem. Toleranzen n. EN ISO 1127 / EN 10305-1
gem. ASTM A213, ASTM A312, ANSI B36.19


Wst. 1.4571 / TP 316Ti
Wst. 1.4404 / TP 316/316L
Wst. 1.4541 / TP 321, Wst. 1.4301 / 1.4307 / TP 304



Abnahmeprüfzeugnis gem. EN 10204-3.1

| D mm | S mm | ID mm | ASTM Dimension | GEWICHT Kg/m | D mm | S mm | ID mm | ASTM Dimension | GEWICHT Kg/m |
|---------|---------|----------|--------------------|-----------------|---------|---------|----------|-------------------|-----------------|
| 33,70 | 4,50 | 24,70 | | 3,290 | 60,33 | 3,91 | 52,51 | 2" SCH 40S STD | 5,520 |
| 33,70 | 5,00 | 23,70 | | 3,593 | 60,33 | 5,54 | 49,25 | 2" SCH 80S | 7,601 |
| 38,00 | 2,00 | 34,00 | | 1,803 | 60,33 | 8,74 | 42,85 | 2" SCH 160 | 11,290 |
| 38,00 | 3,00 | 32,00 | | 2,629 | 63,50 | 2,60 | 58,30 | | 3,970 |
| 38,00 | 4,00 | 30,00 | | 3,405 | 73,03 | 3,05 | 66,93 | 2.1/2" SCH 10S | 5,345 |
| 42,16 | 2,77 | 36,62 | 1.1/4" SCH 10S | 2,730 | 73,03 | 5,16 | 62,71 | 2.1/2" SCH 40S | 8,769 |
| 42,16 | 3,56 | 35,04 | 1.1/4" SCH 40S STD | 3,440 | 73,03 | 7,01 | 59,01 | 2.1/2" SCH 80S | 11,589 |
| 42,16 | 4,85 | 32,46 | 1.1/4" SCH 80S | 4,531 | 73,03 | 9,53 | 53,97 | 2.1/2" SCH 160 | 15,153 |
| 42,16 | 6,35 | 29,46 | 1.1/4" SCH 160 | 5,694 | 76,00 | 5,00 | 66,00 | | 8,890 |
| 42,16 | 9,70 | 22,76 | 1.1/4" SCH XXS | 7,884 | 76,10 | 2,90 | 70,30 | | 5,315 |
| 42,40 | 2,65 | 37,10 | | 2,591 | 76,10 | 3,65 | 68,80 | 2.1/2" GAS / BSP | 6,535 |
| 42,40 | 3,25 | 35,90 | 1.1/4" GAS / BSP | 3,190 | 76,10 | 2,00 | 72,10 | | 3,711 |
| 42,40 | 2,00 | 38,40 | | 2,023 | 76,10 | 2,30 | 71,50 | | 4,250 |
| 42,40 | 2,60 | 37,20 | | 2,591 | 76,10 | 2,60 | 70,90 | | 4,785 |
| 42,40 | 2,90 | 36,60 | | 2,868 | 76,10 | 2,90 | 70,30 | | 5,315 |
| 42,40 | 3,20 | 36,00 | | 3,141 | 76,10 | 3,20 | 69,70 | | 5,841 |
| 42,40 | 3,60 | 35,20 | | 3,498 | 76,10 | 3,60 | 68,90 | | 6,535 |
| 42,40 | 4,05 | 34,30 | | 3,889 | 76,10 | 4,00 | 68,10 | | 7,222 |
| 42,40 | 4,50 | 33,40 | | 4,271 | 76,10 | 4,50 | 67,10 | | 8,068 |
| 48,26 | 2,77 | 42,72 | 1.1/2" SCH 10S | 3,160 | 76,10 | 5,00 | 66,10 | | 8,902 |
| 48,26 | 3,68 | 40,90 | 1.1/2" SCH 40S STD | 4,110 | 76,10 | 6,30 | 63,50 | | 11,011 |
| 48,26 | 5,08 | 38,10 | 1.1/2" SCH 80S XS | 5,500 | 76,10 | 7,10 | 61,90 | | 12,267 |
| 48,26 | 7,14 | 33,98 | 1.1/2" SCH 160 | 7,352 | 76,10 | 8,00 | 60,10 | | 13,642 |
| 48,26 | 10,16 | 27,94 | 1.1/2" SCH XXS | 9,690 | 76,10 | 10,00 | 56,10 | | 16,551 |
| 48,30 | 2,65 | 43,00 | | 2,975 | 76,10 | 12,50 | 51,10 | | 19,907 |
| 48,30 | 3,25 | 41,80 | 1.1/2" GAS / BSP | 3,614 | 88,90 | 15,24 | 58,42 | 3" SCH XXS | 28,110 |
| 48,30 | 2,00 | 44,30 | | 2,319 | 88,90 | 2,00 | 84,90 | | 4,352 |
| 48,30 | 2,60 | 43,10 | | 2,975 | 88,90 | 2,30 | 84,30 | | 4,987 |
| 48,30 | 2,90 | 42,50 | | 3,297 | 88,90 | 2,60 | 83,70 | | 5,618 |
| 48,30 | 3,20 | 41,90 | | 3,614 | 88,90 | 2,90 | 83,10 | | 6,245 |
| 48,30 | 3,60 | 41,10 | | 4,029 | 88,90 | 3,20 | 82,50 | | 6,867 |
| 48,30 | 4,05 | 40,20 | | 4,487 | 88,90 | 3,60 | 81,70 | | 7,689 |
| 48,30 | 6,30 | 35,70 | | 6,626 | 88,90 | 4,50 | 79,90 | | 9,510 |
| 48,30 | 8,00 | 32,30 | | 8,073 | 88,90 | 5,00 | 78,90 | | 10,504 |
| 57,00 | 2,90 | 51,20 | | 3,929 | 88,90 | 6,30 | 76,30 | | 13,030 |
| 57,00 | 6,50 | 47,00 | | 6,510 | 88,90 | 2,00 | 84,90 | | 4,350 |
| 60,30 | 3,65 | 53,00 | 2" GAS / BSP | 5,111 | 88,90 | 3,05 | 82,80 | 3" SCH 10S | 6,450 |
| 60,30 | 2,00 | 56,30 | | 2,920 | 88,90 | 4,05 | 80,80 | 3" GAS / BSP | 8,605 |
| 60,30 | 2,60 | 55,10 | | 3,757 | 88,90 | 5,49 | 77,92 | 3" SCH 40S STD | 11,466 |
| 60,30 | 2,90 | 54,50 | | 4,168 | 88,90 | 7,62 | 73,66 | 3" SCH 80S | 15,509 |
| 60,30 | 3,20 | 53,90 | | 4,575 | 88,90 | 11,13 | 66,64 | 3" SCH 160 | 21,674 |
| 60,30 | 3,60 | 53,10 | | 5,111 | 101,60 | 3,05 | 95,50 | 3.1/2" SCH 10S | 7,526 |
| 60,30 | 4,00 | 52,30 | | 5,639 | 101,60 | 4,05 | 93,50 | 3.1/2" GAS / BSP | 9,893 |
| 60,30 | 4,50 | 51,30 | | 6,288 | 101,60 | 5,74 | 90,12 | 3.1/2" SCH 40S | 13,778 |
| 60,30 | 5,00 | 50,30 | | 6,924 | 101,60 | 8,08 | 85,44 | 3.1/2" SCH 80S | 18,921 |
| 60,30 | 6,30 | 47,70 | | 8,519 | 108,00 | 4,00 | 100,00 | | 10,417 |
| 60,30 | 7,10 | 46,10 | | 9,458 | 114,30 | 3,05 | 108,20 | 4" SCH 10S | 8,360 |
| 60,30 | 8,00 | 44,30 | | 10,477 | 114,30 | 4,50 | 105,30 | | 12,372 |
| 60,30 | 10,00 | 40,30 | | 12,595 | 114,30 | 6,02 | 102,26 | 4" SCH 40S | 16,322 |
| 60,33 | 11,07 | 38,19 | 2" SCH XXS | 13,655 | 114,30 | 8,56 | 97,18 | 4" SCH 80S | 22,665 |
| 60,33 | 2,77 | 54,79 | 2" SCH 10S | 3,990 | 114,30 | 13,49 | 87,32 | 4" SCH 160 | 34,053 |

Rohre DIN / EN / ASTM nahtlos



kaltgefertigt, wärmebehandelt, gebeizt
gem. DIN EN 10216-5, gem.
gem.Toleranzen n. EN ISO 1127 / EN 10305-1
gem. ASTM A213, ASTM A312, ANSI B36.19

Wst. 1.4571 / TP 316Ti
Wst. 1.4404 / TP 316/316L
Wst. 1.4541 / TP 321, Wst. 1.4301 / 1.4307 / TP 304

Abnahmeprüfzeugnis gem. EN 10204-3.1



| D mm | S mm | ID mm | ASTM Dimension | GEWICHT Kg/m | D mm | S mm | ID mm | ASTM Dimension | GEWICHT Kg/m |
|---------|---------|----------|-------------------|-----------------|---------|---------|----------|-------------------|-----------------|
| 114,30 | 2,60 | 109,10 | | 7,272 | | | | | |
| 114,30 | 3,20 | 107,90 | | 8,902 | | | | | |
| 114,30 | 3,60 | 107,10 | | 9,979 | | | | | |
| 114,30 | 4,00 | 106,30 | | 11,048 | | | | | |
| 114,30 | 4,50 | 105,30 | | 12,372 | | | | | |
| 114,30 | 5,40 | 103,50 | | 14,725 | | | | | |
| 114,30 | 6,30 | 101,70 | | 17,037 | | | | | |
| 114,30 | 7,10 | 100,10 | | 19,058 | | | | | |
| 114,30 | 11,13 | 92,04 | | 28,753 | | | | | |
| 114,30 | 14,20 | 85,90 | | 35,592 | | | | | |
| 114,30 | 20,00 | 74,30 | | 47,225 | | | | | |
| 133,00 | 4,00 | 125,00 | | 12,921 | | | | | |
| 139,70 | 4,00 | 131,70 | | 13,592 | | | | | |
| 139,70 | 4,00 | 131,70 | | 13,592 | | | | | |
| 139,70 | 5,00 | 129,70 | | 16,864 | | | | | |
| 139,70 | 6,30 | 127,10 | | 21,044 | | | | | |
| 139,70 | 7,10 | 125,50 | | 23,574 | | | | | |
| 141,30 | 3,40 | 134,50 | 5" SCH 10S | 11,740 | | | | | |
| 141,30 | 6,55 | 128,20 | 5" SCH 40S | 22,101 | | | | | |
| 141,30 | 9,53 | 122,24 | 5" SCH 80S | 31,444 | | | | | |
| 159,00 | 4,50 | 150,00 | | 17,409 | | | | | |
| 168,28 | 3,40 | 161,48 | 6" SCH 10S | 14,037 | | | | | |
| 168,28 | 7,11 | 154,06 | 6" SCH 40S | 28,694 | | | | | |
| 168,28 | 10,97 | 146,34 | 6" SCH 80S | 43,211 | | | | | |
| 168,30 | 5,00 | 158,30 | | 20,445 | | | | | |
| 168,30 | 4,50 | 159,30 | | 18,457 | | | | | |
| 168,30 | 5,00 | 158,30 | | 20,445 | | | | | |
| 168,30 | 6,30 | 155,70 | | 25,556 | | | | | |
| 168,30 | 7,11 | 154,08 | | 28,697 | | | | | |
| 168,30 | 10,97 | 146,36 | | 43,217 | | | | | |
| 219,08 | 8,18 | 202,72 | 8" SCH 40S | 43,198 | | | | | |
| 219,08 | 12,70 | 193,68 | 8" SCH 80S | 65,630 | | | | | |
| 219,08 | 3,76 | 211,56 | 8" SCH 10S | 20,272 | | | | | |
| 219,08 | 6,30 | 206,48 | 8" SCH 20 | 33,566 | | | | | |
| 219,10 | 6,30 | 206,50 | | 33,570 | | | | | |
| 219,10 | 8,18 | 202,74 | | 43,202 | | | | | |
| 219,10 | 10,00 | 199,10 | | 52,359 | | | | | |
| 219,10 | 12,70 | 193,70 | | 65,637 | | | | | |
| 273,05 | 4,19 | 264,67 | 10" SCH 10S | 28,208 | | | | | |
| 273,05 | 9,27 | 254,51 | 10" SCH 40S | 61,229 | | | | | |
| 273,05 | 12,70 | 247,65 | 10" SCH 80S | 82,793 | | | | | |
| 323,85 | 9,53 | 304,79 | 12" SCH 40S | 75,007 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |